

Certificate

Certified Passive House component

for cool, temperate climate, valid until 31.12.2024

Category: Facade anchor

Manufacturer: Schöck Bauteile GmbH

76534 Baden-Baden, GERMANY

Product name: Isolink® type F

The following criteria were used in awarding this certificate:

Efficiency Criterion

In a typical application*, the construction fulfills the requirements of

Eff.fa \leq 0.200 W/(kNK)

Comfort Criterion

The inner surface must be warm enough to prevent mould as well as uncomfortable down-drafts and radiation losses.

θ_{i,min} ≥ 17°C

Thermal data of the certified component


Schöck Isolink® type F	thermal bridge coefficient χ [W/K]	minimum inner surface temperature θ _{i,min} [°C]
Isolink F-S 12	0.0003	19.47
Isolink F-S 16	0.0005	19.47
Isolink F-S 20	0.0008	19.46

^{*} The criterion has been validated with a representative facade of a school building


www.passivehouse.com

1100fa03


Passive House Institute Dr. Wolfgang Feist 64283 Darmstadt GERMANY



Isothermal map of the type F-S 20



Isothermal map of the type F-S 12



Representation of the type F-S 20





Data sheet Schöck Bauteile GmbH, Isolink type F

Manufacturer Schöck Bauteile GmbH

Vimbucher Str. 2, 76534 Baden-Baden, GERMANY


Tel.: +49 7223 967-0 www.schoeck.de

Validation on reference facade	ΔU [W/m²K]
LK VI	0.0025

In order to validate the suitability, the manufacturer provides a statical calculation and an associated installation plan for the reference facade.

The classification criteria and the load class allocation can be found in the current criteria "Zertifizierte Passivhaus Komponente – Fassadenanker, Version 2.0, 08.05.2017".

Load class / Facade weight		Thermal bridge coefficients [W/K]			
-	[kN/m²]	X _{F-S20}	-	X _{F -S12}	X _{F -S16}
VI	0.4	0.0008		0.0003	0.0005
[W/(kNK)]	[W/m²K]	Quantity / m²			
[33/ (14:314/)	[00 / 111 11]			<u>, , , </u>	
Efficiency	ΔU	FP1	FP2	SP1	SP2



Installation-plan reference facade of the certified component

Load-class	Facade cladding	Facade weight [kN/m²]	Efficiency criterion fulfilled?
1	Aluminium laminated	0.10	yes
II	Plastic	0.15	yes
III	Fibre-cement plates	0.20	yes
IV	Acrylic glass	0.25	yes
V	Ceramics	0.30	yes
VI	Stone	0.40	yes