


Thermally separated ceiling connector

Reinforced concrete slab with superstructure, cantilevered Exterior wall with thermal insulation composite system Detailed view above door | under window with blinds

DCIK 05-04-TFJ | M 1 : 10



Component, example		Component, example	
1	Thermal insulation composite system	10	Reinforced concrete ceiling
2	Reinforced concrete lintel	(1)	Threshold, thermally insulated
3	Interior plaster	12	Plastering profile, joint sealing tape
4	Insulation	13	Slab in gravel bed
5	Edge finish: Channel, gravel trap, inlet plate	(14)	Window element, door element
6	Reinforced concrete slab	(15)	Facade channel
\bigcirc	Schöck Isokorb® XT type K	16	Sloping wedge (e.g., bonded screed)
8	Floor covering, floating screed	\bigcirc	Drain mat with fleece
9	Impact sound and thermal insulation	(18)	Blinds, thermally insulated box

Note: This detailed view is a general, non-binding planning proposal which only provides a schematic overview of the construction work. The planner and processor are responsible for checking applicability and completeness for each construction project. Adjacent components are only shown schematically. All specifications and assumptions must be adapted or coordinated to local conditions. The respective technical specifications of the data sheets, processing guidelines, standards, and system approvals must be observed. Balconies, arcades, and canopies require their own statics.