


Thermally separated ceiling connector

Prefabricated reinforced concrete fascia Monolithic masonry Detailed view of fascia | Roof edge structure

DCIK 41-02-BD | M 1:10



| | Component, example |
|-----|---|
| 1 | Exterior plaster with fabric insert |
| 2 | Masonry wall (e.g., insulating bricks) |
| 3 | Interior plaster |
| 4 | Insulation |
| (5) | Sloping insulation |
| 6 | Fascia, precast reinforced concrete |
| 7 | Schöck Isokorb® CXT type A |
| 8 | Plank, multi-layer wood |
| 9 | Fascia cover, brackets, butt connectors |

| | Component, example |
|-----|---|
| 10 | Reinforced concrete ceiling |
| 11) | Protective fleece |
| 12) | Support system |
| 13) | Aluminum sheet, edged |
| 14) | Covering, substructure |
| 15) | Bitumen sheet R500, sanded |
| 16) | Ceiling edge shell, thermally insulated |
| | |
| | |

Note: This detailed view is a general, non-binding planning proposal which only provides a schematic overview of the construction work. The planner and processor are responsible for checking applicability and completeness for each construction project. Adjacent components are only shown schematically. All specifications and assumptions must be adapted or coordinated to local conditions. The respective technical specifications of the data sheets, processing guidelines, standards, and system approvals must be observed. Balconies, arcades, and canopies require their own statics.