

Thermally separated ceiling connector

Steel balcony, supported, renovation Wall with thermal insulation composite system Detailed view above wall | below wall

11 1 23 89 ± 0.00 (13) 4 (14) ⊲<u>≥1.5%</u> Ģ 6 5 10 $\overline{7}$ (15) 12 (16) (17)

Component, example			Component, example	
1	Thermal insulation composite system	10	Reinforced concrete ceiling, existing	
2	Masonry wall or reinforced concrete wall	(1)	Moisture protection	
3	Interior plaster	12	Plastering profile, joint sealing tape	
4	Covering, substructure	13	Railing	
5	Steel profiles with corrosion protection	(14)	Support system	
6	Head plate with cleat, optional adapter	(15)	Sloped aluminum tray	
0	Schöck Isokorb® RT type SQ	(16)	Aluminum composite panel, substructure	
8	Floor covering, floating screed	17	Steel support with corrosion protection	
9	Impact sound and thermal insulation			

Note: This detailed view is a general, non-binding planning proposal which only provides a schematic overview of the construction work. The planner and processor are responsible for checking applicability and completeness for each construction project. Adjacent components are only shown schematically. All specifications and assumptions must be adapted or coordinated to local conditions. The respective technical specifications of the data sheets, processing guidelines, standards, and system approvals must be observed. Balconies, arcades, and canopies require their own statics.

DCIK 46-02-WW | M 1 : 10